

No.

45 / CZE 5

4th prolongation

**CERTIFICATE OF JUMPING HILL
CERTIFICAT DE CONFORMITE
SCHANZENPROFILBESTÄTIGUNG**

Date of issue 14.09.2019
Établi le
Ausgestellt am

Valid till 30.04.2024
Valable jusq' au
Gültig bis


Place: Liberec

Name: Jested B

HS = 100 m

$h/n = 0,559$

$V_0 = 23,60$ m/s



$e = 94,30$ m
 $e_s = 20,60$ m
 $t = 6,30$ m
 $\gamma = 30,00^\circ$
 $\alpha = 10,50^\circ$
 $r_1 = 84,00$ m
 $h = 43,70$ m
 $n = 78,17$ m
 $s = 2,00$ m

$l_1 = 7,72$ m
 $l_2 = 10,00$ m
 $a = 97,00$ m
 $\beta_p = 37,00^\circ$
 $\beta = 35,00^\circ$
 $\beta_L = 32,41^\circ$
 $r_L = 221,09$ m
 $r_2 = 93,00$ m

$P = 82,28$ m
 $K = 90,00$ m
 $L = 100,00$ m
 $b_1 = 2,50$ m
 $b_K = 18,00$ m
 $b_A = 20,00$ m
 $d = 51,00$ m
 $q = 24,00$ m

Remarks / Bemerkungen

- inspection by Christian Kathol (18th October 2018)
- the remarks of the inspection-report must be observed and fulfilled for the validity of certification.
- for fulfilling the (FIS/ICR) standards of the jumpinghill, the owner is responsible during training and competition.
- in front of the take off the table must be placed soft damp mats during training and competition.

JUMPING HILL APPROVED BY THE FIS
TREPLIN HOMOLOGUE PAR LA FIS
DURCH DIE FIS GENEHMIGTE SPRUNGSCHANZE

SUB-COMMITTEE FOR JUMPING HILLS

CHAIRMAN:

Hans-Marth Renn